

DCI — DIGITAL CONTROL INTERFACE MODULE

Interface to Silescent SimpleNet Digital Control

| Item Code | Туре |
|-------------|------|
| Project | |
| Comments | Date |
| Prepared by | |

Silescent DCI (Digital Control Interface) modules provide an interface between 0-10VDC, 120VAC Phase, or Switched to Ground input control to the following Silescent SimpleNET Capable Lighting Fixtures: LP3/LS3/HS3/DD3/HD3.

SPECIFICATIONS & FEATURES

- Digital Control via Silescent SimpleNET digital communication.
- Converts specified signal to Silescent SimpleNET Digital Control:
 - o 0-10VDC control
 - o 120VAC Phase control, or
 - o Switched to Ground input
- Compact design allows for easy installation.

Warranty: 5 year limited warranty. Full warranty

details available at www.silescent.com

MADE IN USA: All Silescent products are designed,

engineered and manufactured In Ft. Lauderdale FL. Additionally, all Silescent products are ARRA & NAFTA compliant.



DCI3-010 Shown

ELECTRICAL DATA

 Operating Temp: -30°C to +50°C Ambient Temp: <35°C

Power Input: 24VDC

• Output:

o DCI3-010 Control Output: 24VDC, 300mA

Control In (0-10): 10VDC, 2mA

o **DCI3-120** 24VDC, 300mA o DCI3-SG 24VDC, 300mA Rated Wattage: 1.2 watts

Protection: Internal Resettable fuse

ORDERING INFORMATION:

| Silescent Item Code | Description |
|---------------------|--|
| DCI3-010 | DCI, 0-10VDC input (Current Source Device), 10Vout |
| DCI3-120 | DCI, 120VAC Phase Control Input (preloaded) |
| DCI3-SG | DCI, Switched to Ground Input |



Information is subject to change without prior notification.